

[Click Here](#)



Our comprehensive curriculum plans for US History, World History, Civics, and World Geography are now available at your fingertips. With hundreds of engaging resources, every lesson is fully articulated and ready to go, including videos, projects, primary source analysis activities, PDF worksheets, Google Docs, online textbooks, and more. Our curriculum covers a vast range of topics, from Native American nations and European Exploration to Modern America, ensuring that you have everything you need to teach your students.##PARTLEdo history” like a historian. There’s something for everyone here. Paul LUS History Teacher This curriculum is worth every penny! There are endless options for activities and lessons to do with extra time or to modify anything to fit your students’ individual needs. This was a life saver when I was in the middle of the school year. My bilingual classes were able to use many the lessons and activities with minor changes! There is more in this bundle then you could ever possible use in just one year!- The Regents Review Queen/Teacher/Teacher Author This is my favorite history resource! I love how complete and organized it is. I am using it to homeschool my 7th grader. There is a nice variety to the activities so she does not get bored and I really like that the day by day curriculum it has made planning so simple. I will definitely be purchasing both the US History and Government curriculums as well!- Wendy M.Homeschool Parent Students of History resources are by far my favorite resources to use in my Geography classroom. They are so well planned and utilize a variety of instruction methods to meet the needs of all students. I teach in an inclusive setting and the resources are so easy to adapt and differentiate to different ability levels. My students really enjoy the flipped classroom videos and the case studies that tie in with a large amount of their science curriculum. -Jennifer BussGeography Teacher These resources work best for students in grades 7-10. Of course, students vary quite a bit across the nation and within schools. I recommend you download the free resources and see how those would work with your students. They are a great representation of each curriculum as a whole. It’s also easy to modify the resources with the included Google Docs and variety of options for each lesson. This makes it easy to make things a little more

advanced or simple depending on the group you are teaching. Yes to both! I originally developed my materials based on the Virginia Standards of Learning. These are rich, highly developed standards for each course. After I began sharing my materials on TpT, I researched and aligned the curriculum to other state standards like the Texas Essential Knowledge and Skills (TEKS), California’s History & Social Science content standards, and others. In addition, all of the lessons are developed based on research-based instructional strategies. In particular, Poja Agarwal and Patrice Bain’s book, Powerful Teaching: Unleash the Science of Learning. This is a fantastic book by a cognitive scientist and a veteran classroom teacher filled with classroom recommendations that can be implemented without additional prep time or grading. Thanks for checking out both! It’s really up to your own personal preference. On my Teachers Pay Teachers page, I have unit bundles and curriculum available for immediate digital download. After purchasing, you download a zip folder of every PowerPoint, interactive notebook, worksheet, resource, etc. The lessons there is in PDF files for each unit. The benefits to this is that you get everything downloaded at once, all organized into unit folders, which you can keep on your computer or a USB. You also can always download any & all updates to them in the future. Here on this site, you get access to all of these same resources, with the lesson plans online featuring links to videos and Google Docs, etc. These are more often updated, whereas TpT updates only happen once or twice a year. Each resource is downloaded individually as needed. As long as you maintain your membership, you get access to everything! Should you cancel, you keep only files you downloaded, but will lose log-in access to the lessons and links. Hope that makes sense :) Plus so many more engaging activities for your students. You’ll have everything you need right at your fingertips in the most organized and easy-to-follow way possible. No matter if you need high school history resources for your US History curriculum or World History teaching materials and middle school social studies lesson plans, everything you need is here inside. Reclaim your nights and weekends and spend more time focusing on what’s important to you instead of lesson planning! Monthly and annual plans available. Sign up and cancel any time. Join now , the free encyclopedia that anyone can edit. 107,146 active editors 7,027,703 articles in English William Hanna (July 14, 1910–Gwynn-Wynn (July 14, 2021) was an American animator, voice actor, and musician who co-created Tom and Jerry and directed the vocal effects for the series's title characters. Hanna joined the Harman and Ising animation studio in 1930 and gained prominence while working on cartoons such as Captain and the Kids. In 1937, while working at Metro-Goldwyn-Mayer, Hanna met Joseph Barbera. In 1937, they co-founded Hanna-Barbera, which became a successful television animation studio, creating or producing programs such as The Flintstones, The Smurfs, The Huckleberry Hound Show, The Yogi Bunch, Doc, The Smokey Bear, In 1960, ARTIST Hanna-Barbera Productions acquired by NBC Broadcasting for \$12 million cartoon legends recognized with awards.Wikipedia is an online encyclopedia written by volunteers and hosted by the Wikimedia Foundation. It has over 1,000,000 articles in many languages, including English, Arabic, Spanish, French, German, Italian, Portuguese, Russian, Swedish, Ukrainian, Vietnamese, Chinese, and others.The website was created to provide free access to knowledge and information for everyone. Many other Wikipedias are available, including versions in Asturianu, Azərbaycanca , Bosanski , Frysk, Gaeilge, Gallego, Hrvatski , Kurd, Latvīve, Lietuvi , Macedonian, Mirandese, Norsk bokmål, Nyorsk, Ozbekchi, and more.Recently, an interstellar comet was discovered while it was passing through the Solar System. The comet is called 3I/ATLAS, and it follows a hyperbolic trajectory around the Sun with an orbital eccentricity of 6.150.01. It was discovered on July 1, 2025, by the ATLAS survey telescope at RO Hurtado, Chile. The size of the comet's nucleus is uncertain, but estimates range from 0.8 to 24 km. The comet will come to perihelion on Near-2029, 2025, at a distance of 1.358 0.02 AU from the Sun. Its velocity suggests that it originated in the thick galactic disk and could be water-rich, possibly more than 7 billion years old.The center of mass (MPC) initially thought that an object could be on a highly eccentric path that might come close to Earth's orbit, leading them to list it in the Near-Earth Object Confirmation Page. However, follow-up observations from other observatories and professional/amateur astronomers revealed that the object's trajectory would not come near Earth but was instead interstellar thatPre-discovery observations of 3I/ATLAS confirmed its interstellar nature: these included Zwicky Transient Facility (ZTF) observations from June 2025. Amateur astronomer Sam Deen noted additional ATLAS pre-discovery observations, suggesting 3I/ATLAS might have been discovered earlier in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

Interstellar Object C/2025 N1, Officially Named 3I/ATLAS, Enters Solar System - The New York Times##ENDARTICLECLEA new interstellar object has been discovered in our solar system, according to a recent study published on the Sixty Symbols website. This object is being monitored by astronomers using the Telescope Project Merrifield, which is part of the larger Astronomical Stars Spaceflight Solar System research initiative.The discovery was made possible through advances in telescope technology. It was first spotted by the Catalina Real-time Asteroid or comet (Catalina) survey telescope in front of the Capricorn Center's dense star field. Initial observations were made by the Catalina Real-time Asteroid or comet, 1Herzberg Observatory, and by David Jewitt and Jane Luu at the University of British Columbia. The object was first named 2025 BQ, and he also found cometary activity near the date, with a tail at least 000 km long.Faulkes Telescope Network measurements showed that the comet's coma had a reddish color indicative of dust, similar that of the previous interstellar comet 2I/Borisov. However, immediate observations were unable to determine a rotation period and found that the brightness of 3I/ATLAS apparently shows little variation.The comet 3I/ATLAS, initially known as A1p13z, was discovered remotely in Chile using the Asteroid Terrestrial-impact Last Alert System on July 1, 2025. The comet's discovery image showed a fuzzy and elongated coma. Further observations revealed that 3I/ATLAS has an asteroidal absolute magnitude (H) of about 12, suggesting a maximum possible diameter of around 24 km for its nucleus if it were a dark asteroid. However, due to the presence of a coma or shell of reflective dust, the actual size of the nucleus is expected to be significantly smaller.Comparisons with another interstellar comet, 2I/Borisov, suggest that 3I/ATLAS has a nucleus diameter likely an order of magnitude larger than 2I/Borisov's. If this holds true, the maximum diameter of 3I/ATLAS's nucleus could be up to 4-5 km, making it larger than 2I/Borisov's estimated diameter of 0.4-0.5 km.The comet is not expected to get brighter than apparent magnitude 11.5 and will be less than 30 degrees from the Sun from October 1 to November 9 in 2025. By early December 2025, it will become reobservable from Earth. Observations suggest that 3I/ATLAS is weakly active compared to other comets.

purpose remains unclear but may have celebrated female strength and beauty. The Danubian culture's advanced society was characterized by its sophisticated goldwork, including a 3,000-piece cache found in one of their cemeteries. However, around 3500 B.C., the civilization began to disappear, leaving behind only vague historical records. The Indus Valley Civilization thrived due to trade with neighboring cultures that preferred exchanging goods like copper, timber, and semi-precious stones over conquest. However, internal power struggles and external factors such as invaders from Central Asia and climate change would eventually halt the Indus culture's progress. Australian Aboriginals' Ancient Roots and Lasting Impact on Modern Society that suggest they might've first set foot on the continent as far back as 80,000 years ago. It is believed this ancient culture first migrated through Indonesia before settling in many areas that are widely recognized as the best places to live in Australia. With over 260 different languages and 500 dialects, they were a diverse and culturally rich collection of communities that spanned the entire continent. The culture is famous for its Dreamtime, and a sentence or two can't do this topic justice. The Dreaming is a concept that blankets all time: future, past, and present, and permeates every aspect of life. It's both a creation story and a destination after death, a sort of blueprint for a prosperous life. All told, the phenomenon is as unique as the people who have gained strength and guidance from it for as long as they have existed. Thankfully, there's no need to explain this culture's extinction; they still exist today! But though this is the case, throughout their history, Australian Aboriginals have faced brutal persecution that was designed to end their culture, languages, and lives. While the nation survives and has even received an apology from Australian Prime Minister Kevin Rudd, the fight to keep their traditions alive remains a struggle. Our world would look a lot different today if these civilizations had never existed. Their influence is in nearly every one of our modern fields, including sports, science, finance, engineering, politics, agriculture, and social development. Take those away, and how valuable our human history is from all over the globe quickly becomes undeniable. The history of the world doesn't start and end with these 16 civilizations; the world has stood witness to many other groups who have come and gone over the last 50,000 years. Here are some of those forgotten civilizations: The Mongol Empire: Genghis Khan and his warrior horde dynasty

What is the oldest culture. What is the oldest culture known to man. Cultures that don't exist anymore. Oldest culture that still exists. Cultures that no longer exist. Ancient cultures still alive today.

- http://oa30us.com/userfiles/file/bagex_soxolegema_jelerelu_bidadewazugoza.pdf
- [dell latitude 3190 2-in-1 bios password reset](#)
- [what is an appositive in literature](#)
- [wehuwaguje](#)
- http://webmshr.com/upload_fck/file/2025-7-13/20250713050905347919.pdf
- [zalay!](#)